


# AXELERA EMBEDDED 110m

Optimized for constrained environments.  
Engineered for embedded systems.



# MARKETS



Security



Industry 4.0



Retail



Mobility



Logistics



Robotics



Medical



Hospitality



Utilities




Agritech



**AXELERA**<sup>®</sup>  
ARTIFICIAL INTELLIGENCE





AXELERA® EMBEDDED 110m  
CARD, POWERED BY METIS  
AIPU, IS PERFECT FOR  
CONSTRAINED DEVICES THAT  
REQUIRE HIGH PERFORMANCE  
AI INFERENCE.

## AXELERA EMBEDDED 110m - KEY FEATURES

- High performance Axelera Embedded 110m card feature Metis AIPU to enable state-of-the-art AI inference in small footprint devices.
- A single board can run inference on multiple cameras as well as support many independent parallel neural networks.
- A wide range of end-to-end AI pipelines and models are available out of the box.
- Hassle free evaluation and software integration thanks to Voyager® SDK.
- Uncompromised prediction accuracy thanks to advanced quantization tools.

## KEY TECHNICAL SPECIFICATIONS

|                                      |                                     |
|--------------------------------------|-------------------------------------|
| Form Factor                          | M.2 2280 M-key                      |
| Host Interface                       | PCIe Gen3 x4 – 4 GB/s bidirectional |
| AIPU (AI Processing Unit)            | 1x Metis AIPU                       |
| AIPU Memory                          | 1 GB DRAM                           |
| Peak INT8 TOPS                       | 214                                 |
| Operating temperature <sup>(1)</sup> | -20 to +70°C                        |
| Thermal solution                     | Optional standalone active cooling  |
| Typical Application Power            | 3.5-9 W                             |
| Security Features                    | Secure Boot, Root of Trust          |

(1) Extended temperature variant [-40 to +85°C] available upon request.

## PROVEN IN KEY MARKETS

Companies in multiple market segments have already adopted Axelera Embedded-based AI acceleration for different applications such as:



**Surveillance:** provide multi-camera AI processing capabilities in small form factors for easy deployment in shops, building sites, factories, venues.




**Robotics:** enable advanced cooperation between human and robots thanks to high resolution advanced gesture recognition, pose estimation and human intention decoding.



**Medical:** improve accuracy of real time diagnostics, monitoring, imaging and analysis.




**Agritech:** enhance precision in agricultural practices with crop analysis, smart irrigation/pest control, automated harvesting.



**Drones:** deliver real-time video processing for navigation, object detection and surveillance in lightweight, battery-powered UAV systems.

## PERFORMANCE BENCHMARKS

See how Axelera Embedded 110m card compares against other AI accelerators across real-world neural networks. Scan to view the latest results.



<https://axelera.ai/axelera-products/embedded#110m>

## EASY TO INTEGRATE

Axelera® AI's technology integrates seamlessly with host CPUs based on both x86 and ARM architectures. Our team actively tests different systems from vendors making it easy for embedded developers to prototype AI applications.

# VOYAGER.SDK

Thanks to Voyager® Software Development Kit (SDK), users have a simple software integration path for AI inference at the edge:



- **Great out-of-the-box experience:** The SDK's built-in tools and models allows evaluating Axelera performance, accuracy and power consumption in a few minutes.
- **Fast end-to-end integration path:** The SDK provides a high-level pipeline description framework that allows building optimized end-to-end AI applications with custom inputs, datasets, models and business logic with very few lines of code.
- **Low-level knobs and APIs:** For users that have their own pipelines and software infrastructure, the SDK includes low-level APIs to directly control the inference hardware.

### Voyager is a simple yet feature rich SDK:

- Large [Model Zoo](#) supporting, among others:
  - Small Language Models (Phi3-mini, Llama-3.1 8B etc.)
  - Image Classification (EfficientNet, ResNet etc.)
  - Object Detection (YOLO models, RetinaFace etc.)
  - Semantic Segmentation (U-Net FCN)
  - Instance Segmentation (YOLO models)
  - Keypoint Detection (YOLO models)
- Compiler support for models from Pytorch and ONNX. The compiler automatically manages quantization and graph optimization without user intervention and achieves optimal performance and accuracy.



- Libraries including all pre- and post-processing required to run end-to-end pipelines: scaling; cropping; normalization; format conversion; nonmaximal suppression (NMS) and more.
- A YAML description file is used to automatically generate the AI pipelines. The pipeline can then be run as a plugin to GStreamer or within an inference server.
- Built-in tools to test accuracy and performance of models running on Metis® AIPU.



### Ordering information

Part numbers are listed in the product datasheet.

To order the Axelera Embedded 110m, please visit:

<https://store.axelera.ai/products/>

